

Lesson 3

Further A-Level Pure Mathematics Matrix Systems of Equations : Core 1

3.1 Inverting a 3×3 Matrix

Finding the inverse of a 3×3 matrix makes use of a “Cookbook Recipe”.

Before listing the five steps in the recipe, there is one matrix manipulation that has not been previously mentioned:

The Transpose of a 3×3 Matrix

Given, for example, the matrix $\mathbf{G} = \begin{pmatrix} a & b & c \\ d & e & f \\ g & h & i \end{pmatrix}$ the transpose of matrix \mathbf{G}

is denoted \mathbf{G}^T and is formed by an interchange of rows and columns.

Thus,
$$\mathbf{G}^T = \begin{pmatrix} a & d & g \\ b & e & h \\ c & f & i \end{pmatrix}$$

Starting with a matrix, \mathbf{A} , the recipe cooks up the matrix, \mathbf{A}^{-1}

Inverse Matrix “Cookbook Recipe”

Step 1 : Find the determinant of \mathbf{A} , $\det \mathbf{A}$

Step 2 : Form, \mathbf{M} , the matrix of minors of \mathbf{A} by replacing each of the nine elements of the matrix \mathbf{A} with that element's minor.

Step 3 : Form, \mathbf{C} , the matrix of cofactors by reversing the sign of some elements of the matrix of minors according to the pattern matrix,

$$\begin{pmatrix} + & - & + \\ - & + & - \\ + & - & + \end{pmatrix}$$

+ indicates no change whereas - indicate change

Step 4 : Write down, \mathbf{C}^T , the transpose of the matrix of cofactors.

Step 5 : $\mathbf{A}^{-1} = \frac{1}{\det \mathbf{A}} \mathbf{C}^T$

3.2 Example

Find the inverse of the matrix, $\mathbf{A} = \begin{pmatrix} 2 & 1 & 1 \\ 3 & 2 & 1 \\ 2 & 1 & 2 \end{pmatrix}$

Teaching Video : <http://www.NumberWonder.co.uk/v9095/3.mp4>



Watch the video and
then write out a full
solution here



[6 marks]

3.3 Exercise

*Any solution based entirely on graphical
or numerical methods is not acceptable*

Marks Available : 25

Question 1

Calculate the product of \mathbf{A}^{-1} , in the above example, with \mathbf{A} . That is, $\mathbf{A}^{-1} \times \mathbf{A}$
Explain why the answer is not a surprise.

[3 marks]

Question 2

By use of the “Cookbook Recipe”, find the inverse of $\mathbf{W} = \begin{pmatrix} -4 & 5 & 2 \\ -5 & 6 & 2 \\ 8 & -9 & -3 \end{pmatrix}$

In your solution, label each of the five steps.

[6 marks]

Question 3

By use of the “Cookbook Recipe”, find the inverse of $\mathbf{R} = \begin{pmatrix} 3 & 2 & -2 \\ -2 & k & 0 \\ -1 & -3 & 3 \end{pmatrix}$

In this matrix k is a constant, $k \neq 0$.

Your answer will, of course, be in terms of k

[6 marks]

Question 4

In examinations, if a matrix contains only numbers and no unknown constants, you may use your calculator to obtain the inverse matrix.

Use your calculator to find the inverse of the following matrix,

$$\mathbf{S} = \begin{pmatrix} 1 & 3 & 1 \\ 0 & 4 & 1 \\ 2 & -1 & 0 \end{pmatrix}$$

[2 marks]

Question 5

(i) Prove that if $\mathbf{A} = \mathbf{A}^{-1}$ then $\mathbf{A}^2 = \mathbf{I}$

[2 marks]

(ii) The matrix $\mathbf{A} = \begin{pmatrix} 5 & a & 4 \\ b & -7 & 8 \\ 2 & -2 & c \end{pmatrix}$

Given that $\mathbf{A} = \mathbf{A}^{-1}$, find the values of the constants a , b and c

[6 marks]