

4.4 Homework

Question 1

Find the critical regions for the test statistic x given that $X \sim B(20, 0.40)$ and $H_0 : p = 0.40$, $H_1 : p \neq 0.40$ using a 5% level of significance.

Question 2

Explain what is meant by;

- (i) A hypothesis test

- (ii) A critical value

- (iii) An acceptance region

Question 3

A pharmaceutical company claims that 85% of pigs suffering from a chronic rash recover when treated with a new skin cream, *Oinkment*TM

A random sample of 20 pigs with this rash is extracted from veterinary records.

- (i) Write down a suitable distribution to model the number of patients in this sample who recover when treated with *Oinkment*TM

[2 marks]

- (ii) Given that the claim is correct, find the probability that *Oinkment*TM will be successful for exactly 16 pigs

[2 marks]

An Animal Hospital believes that the claim is incorrect and the percentage who will recover is lower. From the records an administrator took a random sample of 30 pigs who had been prescribed *Oinkment*TM. She found that 20 had recovered.

- (iii) Stating your hypothesis clearly, test, at the 5% level of significance, the Animal Hospital's belief.

[6 marks]

Question 4

Ewan believes the probability of him being late to his statistics lesson is 0.2

To test this he counts the number of times he is late in a random sample of 20 lessons.

- (i) Find the critical regions for a two-tailed test, at the 10% level of significance, of whether the probability he is late for a statistics lesson differs from 0.2

- (ii) State the actual significance level of the test

Ewan discovers he is late for school in 7 out of the 20 lessons.

- (iii) Comment on whether Ewan should accept or reject his belief that the probability he is late for a statistics lesson is 0.2